

Review Article

A Systematic Review on the use of Teledentistry in Pediatric Dentistry

Suganya M¹, Shikha Mali¹, US Mahadeva Rao²

¹Department of Pediatric and Preventive Dentistry, People's College of Dental Sciences & Research Centre, People's University, Bhanpur, Bhopal (Madhya Pradesh), ²Faculty of Medicine, University Sultan Zainal Abidin - 20400, Kuala Terengganu, Terengganu (Malaysia)

ABSTRACT:

Delivering oral healthcare to children can be challenging due to anxieties, access limitations, and geographical barriers. Teledentistry, the use of telecommunication technologies for dental care, has emerged as a potential solution. This systematic review evaluates the effectiveness of teledentistry in pediatric dentistry. A comprehensive search of electronic databases, including PubMed, EMBASE, Scopus, and Web of Science, was conducted to identify relevant studies published with no time frame. The validity of teledentistry for oral screening varies with sensitivity and specificity. Studies also reported acceptable agreement between teledentistry and in-person examinations, with Kappa statistics. Teledentistry shows promise as a comparable tool to traditional methods for oral screening in pediatric dentistry. It holds particular value for school-based programs, remote areas, and long-term care facilities, potentially improving access to dental care for children. Further research with robust methodologies is needed to definitively determine the effectiveness of teledentistry across the full spectrum of pediatric dental care.

KEYWORDS: teledentistry, pediatric dentistry, anxiety

Address for correspondence : Dr Suganya M, Postgraduate student; Department of Pediatric and preventive dentistry, Peoples College of Dental Science, Bhopal - 462037 (Madhya Pradesh), India. E-mail: suki_suganya@rocketmail.com

Submitted: 03.02.2024, **Accepted:** 19.05.2024, **Published:** 10.06.2024

INTRODUCTION:

Great oral well-being includes the capacity to eat, talk, associate, and partake in a solid eating routine and makes a significant commitment to personal satisfaction. Dental sicknesses, generally preventable, are predominant. Dental specialists additionally assume a significant part in treating abnormalities of the teeth and jaws and recognizing oral appearances of foundational sicknesses.^[1]

In the early long stretches of 2020, Corona virus 2019 (COVID-19) had spread universally and was before long classified as a pandemic by the World Health Organization (WHO).^[2] It was accepted to have

begun in Wuhan, China, and is brought about by the profoundly contagious novel Covid (2019-nCoV or SARS-CoV-2) causing serious intense respiratory symptoms.^[3] By the finish of October 2020, the sickness was accepted to have impacted more than 47 million individuals overall and guaranteed no less than 1.2 million lives.^[4]

Dentistry has been considered as the most defenceless calling to get impacted by the COVID-19 pandemic, as it includes close investigation, assessment, analysis, and restorative intercessions around the naso-oropharyngeal locale.^[5] This immensely forceful novel Covid SARS CoV-2, whose

Access this article online

Quick Response Code:



Website:

www.pjsr.org

DOI:

doi.org/10.5281/zenodo.11630778

This is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution-Non Commercial ShareALike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

For reprints contact: editor.pjsr@peoplesuniversity.edu.in

How to cite this article: Suganya M, Mali S, Rao USM. A Systematic Review on the use of Teledentistry in Pediatric Dentistry. PJSR. 2024;17(1):24-31.

focal point was Hubei territory in China, was proclaimed as a well-being crisis of worldwide worry by the World Health Organization (WHO) on January 30, 2020.^[6]

Teledentistry has been characterized by Cook in 1997 as "the act of utilizing video-conferencing innovations to analyze and exhortation about treatment over a distance".^[7] Teledentistry, a type of telehealth containing a synergism among broadcast communications and dentistry that includes the trading of clinical determined data and important pictures for interview and treatment arranging. The idea has demonstrated to be a help for the ceaseless conveyance of essential medical care administrations during tough spots of the pandemic.^[8] Innovations as portable applications and other specialized improvements have facilitated the learning and reference convention important to limit direct contact among patients and specialists.

Teledentistry can be advantageous in oral well-being schooling and advancement among kids, analysis and checking pediatric dental patients over significant distances with restricted admittance to dental consideration and in conduct direction of pediatric patients. This technique can be especially valuable during the ongoing pandemic circumstance to restrict patient-to-patient contact by keeping a protected separation. Simultaneously, it forestalls openness of dental staff, dental specialists using cell phones, webcams, intraoral camera and dental applications associated through web.^[9]

ADVANTAGES & DISADVANTAGES:

The Advantages & Disadvantages of Teledentistry are depicted in [Table 1]:

Table 1:

S. No	Advantages	Disadvantages
1	Admittance to care for under-served and undertreated population	Treatment requires a visit to the clinic
2	Cost-effective	Technique sensitive and time-consuming
3	Less time consuming	Initial investment
4	Boosted communication	Decreased accuracy
5	Timely diagnosis	Legal issues
6	E-prescription	Language barrier
7	Service in training dental employees at the remote site	Treatment Requires Visits to the Clinic
8	Storing of data	Virtual Examination
9	Management of Preliminary Emergencies	
10	Aiding in Specialist Consultations	
11	Follow-Up Visits Can Be Avoided	

TELEDENTISTRY IN PEDIATRIC DENTISTRY:

Teledentistry can be valuable in oral well-being training and advancement among kids, observing pediatric dental patients over significant distances with restricted admittance to dental consideration and in conduct direction of pediatric patients. This strategy can be especially valuable during the ongoing pandemic circumstance to restrict patient-to-patient contact by keeping a protected separation. Simultaneously, it forestalls openness of dental staff, dental specialists using cell phones, webcams, intraoral camera and dental applications associated through web.

The most widely recognized pediatric dental crises incorporate dental torment, dentoalveolar sore, and dental injury. These circumstances require quick intercession as the treatment for these cannot be postponed. Notwithstanding, during the hours of the COVID-19 lockdown, certain adjustments in the underlying treatment were fundamental. Dental agony, endodontic diseases can cause serious torment and are viewed as a significant classification of dental crises. The dental specialist ought to get some information about the idea of agony and assess the condition based on quiet's set of experiences. In the wake of endorsing a reasonable anti-infection course, the dental specialist keeps a legitimate development of the patient. Assuming that the agony reduced, the treatment of the patient could be deferred till the lockdown was lifted. In the event that the aggravation actually did not subside, then, at that point, the dental specialist could call the patient to the center for the crisis treatment. This choice ought to be made by dental specialist in light of the seriousness of the circumstance and his clinical discernment.

Few studies using mobile apps for oral health education and promoting among children are enlisted below [10,11,12,13,14,15,16]

Author name and year	Name of the Application used	Purpose of application	Methods	Conclusion
Soler et al., 2009	Molarropolis app	An interactive motivational game aimed at increasing oral health and dental hygiene literacy among adolescents employing persuasion tactics. During the game, players learn about oral diseases and their causes, behaviours and practices that put adolescents at risk, tips on how to improve their oral health.	Survey of individuals aged 13-24 years was done to check the effectiveness of the app in improving awareness and change in habits related to oral hygiene.	Adolescents indicated that the game is both entertaining and informative, helpful to learn new aspects regarding oral health, and has the potential to change oral health habits.
Levine et al., 2012	My Smile Buddy	1. Diet recalls function. 2. Assess risk of early childhood caries due to diet in young children.	Pilot study on mothers (age range not specified) of children with early childhood caries was conducted after training community health care workers (CHW). CHW facilitated use of the app by the mothers. Survey of CHW for ease of navigation and usefulness of the app.	Community Health care Workers rated the app as very easy and fun for the families to use.
Shao et al., 2014	DAYA tooth brushing game	A tooth-brushing game to enhance the efficacy and experience of tooth brushing in children, and helping the parents to monitor child's dental health and behaviour towards oral hygiene.	A pilot study involving 6-10-year-olds on usability testing of the mobile application and the game.	The game was better understood by older children (>8 years of age) and found them enjoyable. Parents were able to complete all the tasks related to monitoring. The game was feasible in enhancing the tooth brushing experience for children and monitoring by parents.
Underwood et al., 2015	Brush DJ app	1. Provide users evidence-based routines to maintain oral hygiene. 2. Motivation by playing music for 2 min while brushing. 3. Set reminders for rinsing mouth, maintain concentration of fluoride, frequency to change toothbrush, dental appointment schedule.	Qualitative survey assessed perception regarding experiences and beliefs regarding oral health app amongst participants aged up to 74 years of age. Majority of the participants (37.1%) were in the 7-12 year age group.	Mobile app is useful for oral hygiene education and promotion. It motivated the participants to brush for longer time. The themes were motivation, education, compliance and perceived benefits.
Alqarani et al., 2018	Your child's smile	Provide information to parents regarding oral health of their child pre-partum and from the period of infancy to adolescence. Format of both apps were same.	Survey to assess improvement in parent's knowledge before and after the use of the mobile app in children up to 15 years of age.	Significant improvement in knowledge related to dental caries and oral hygiene.
Zotti et al., 2019	1. Time2Brush (Children >5 years). 2. Little Monsters Toothbrush time (Children 5 years).	Fictional characters served as motivation to practice oral hygiene along with a stopwatch to perform routine procedures. Additionally, according to the minutes of use, users could customize the summary accordingly, as a bonus.	Randomized trial involving study and control group involving 4-7-year-old children. Chair side instructions on oral hygiene for control group.	Decrease in plaque scores, no new caries lesions on permanent molars. Better compliance for oral hygiene by children, increase in knowledge level of parents.
Alkilzy et al., 2019	Manual toothbrush with sensor that is linked to the smart phone via Bluetooth	Manual tooth brush with a digital motion 3D sensor system (gyroscope), so that the tooth brush follows the tooth brushing movements of the child in real-time. The movements are relayed to smart phone via Bluetooth. Movements are shared with parents for monitoring and as the child reaches optimal movements points are awarded.	A randomised control study evaluating effectiveness of using a manual toothbrush with a gravity sensor and used along with a mobile tooth brushing app in children aged 5-6 years. The control group used a manual tooth brush without the smart phone app.	Decline in plaque index was more pronounced in the test group than in the control group, which gives evidence for the effectiveness of gaming in toothbrushing via a smart phone app.

The following studies using social networking media for oral health education and promoting among children are enlisted below ^[17,18,19,20]:

Author name and year	Name of the media used	Purpose of application	Methods	Conclusion
Zotti et al., 2016	WhatsApp	Video tutorials regarding oralHygiene. Self-photographs (selfies)and text messages shared bypatients and their parents viaWhatsApp-based anonymous chatroom .	Randomized controlled trial involvingAdolescent patients (mean age 14.1 years in study group and 13.6 years in control group) undergoing orthodontic treatment requiring maintenance of oral hygiene. Patients and parent were asked to interact via selfies and text messages pre and post oral hygiene practices.	Improved compliance to oral hygiene inpatients noted with lesser white spot lesions recorded during orthodontictreatment.
Scheerman et al., 2019	Telegram	Theory based program consistingof oral health education andbehaviour coaching components topromote regular tooth brushing.	Randomized controlled trial evaluatedeffectiveness of Telegram application inpromotion of oral hygiene and oral health related outcomes in adolescents aged 12-17-years along with mothers. Theoutcomeswere based on improvements intooth brushing behaviour and –plaque scores.	Results supported use of health actionprocess-basedapproach and theory -based program through Telegram with involvement of mothers to improve oral hygiene among adolescents.
Lotto et al., 2020	WhatsApp	Educational text messages relatedto early childhood caries.	Randomized controlled trial including child-parent dyad with in children aged 36 to 60 months and having early childhood caries. The intervention groupreceivedEducational WhatsApp text messages.	Effective to control the severity of ECC in low socioeconomic pre-schoolers,improving parental eHealth literacy andChanging children's dietary patterns.
Simsek et al., 2020	YouTube	YouTube videos describing orallhabits searched	Evaluated videos on oral habits and assessed quality of information available for patients and parents.	Majority was inappropriate withInadequate information.

DENTAL ABSCESS OR SWELLING:

The persistent instances of agony or dental contaminations in some cases fuel as a boil or

enlargement. In this condition, the dental specialist can request that the guardians send an extra-oral and intra-oral photo of the kid. This assists the dental specialist

The following studies with telediagnosis using smartphone camera/ digital camera/ web camera in children are enlisted below ^[21,22,23,24,25,26,27].

Author name and year	Device for diagnosis	Methods	Conclusion
Am_avel et al., 2009	Digital camera, Web-based system(MedQuest)	Validity of the remote diagnosis of dental problems in 4–6-year-old children was done by dentists using digital camera. Screening and referrals were decided based on images obtained via web-based application.	Use of photographs is a valid method for remote diagnosis of dental problems. Specificity of this method of screening can be enhanced by improving feedback on dentist's evaluation.
Torres -Pereira et al., 2012	Smartphone camera	Non-Randomized study wherein intra-oral images of first 60 patients (irrespective of age) who visited the dental clinic after ethics committee approval were uploaded on cloud-based servers by dental assistants for mid-level practitioner's and dentists to screen for dental caries.	Photographs taken with 18-megapixel DSLR were able to provide adequate diagnostic information with sensitivity and specificity. Photographic assessment accelerated referrals to specialists that reduced delayed treatment and increased patient inflow.
Kopycka-Kedzierawski et al., 2013	Intra-oral camera	Randomized comparative evaluation between conventional dental examination and teledentistry aided examination in assessment of early childhood caries prevalence in 12e60-month-olds.	No difference between either type of examination. Provision of coloured pictures of child's curiously exposed teeth helped in motivating parents forgetting their children examined.
Purohit et al., 2017	Smartphone camera	Dentists involved in this cross-sectional survey conducted a clinical versus video-graphic examination to assess DMFT index in 12-year-old children.	Clinical and video-graphic methods of assessment were proven to be comparable for screening of dental caries in school children.
Estai et al., 2017	Remote mobile Teledentistry system for Android phones with 'Remote-i' cloud server that collects, transmits and reviews dental photographs.	Study compared cost-effectiveness of conventional visual-tactile examination with teledentistry approach. Trained tele-assistants carried out dental screening of all age groups, including children, using recorded photographs that were later shared via 'Remote-i' system.	Teledentistry is cost-effective method that can be used for mass dental screening in distant locations.
de Almeida Geraldino et al., 2017	Mobile phone camera	Cross sectional study involving patients between 3-39 years of age with traumatized teeth. Remote Examination by paediatric dentists using electronic records and photographs. Agreement with in surgery and remote diagnosis was evaluated.	Precision of remote diagnosis was comparable to the diagnosis conducted in person. Mobile phone camera can be a useful tool to capture images for remote diagnosis of traumatic dental injuries.
Kale et al., 2019	Smartphone camera, social networking application (WhatsApp)	Mothers' ability to diagnose dental caries in 3- to 5-year-old via smart phone camera post health education was assessed. The captured photographs were shared with dentists via WhatsApp.	The method recorded good sensitivity, specificity and accuracy. Children were more cooperative for Examination with smart phone in comparison to conventional visual examination as they are familiar with the former.

with assessing the degree of the enlarging in a vastly improved manner. In the event that the expansion is intraoral and not broad, a standard anti-infection course can be given to the patient. This generally is adequate for decrease in size of the expanding and mediation can be deferred. In the event that the enlargement is extra-oral and broad, a crisis dental arrangement should be planned.

DENTAL TRAUMA:

During the hours of the lockdown, most kids would generally play at home. This invigorated the requirement for additional energetic methods of play in youngsters and cause an expanded gamble of dental awful wounds. In the event of an episode of dental injury with negligible draining and aggravation, the use of strain to the draining site and appropriate mitigating medications could be endorsed. In serious cases, for example, separation, confounded crown and root break or injury to the encompassing tissues, crisis mediation is required.

CONCLUSION:

Teledentistry, the underpinning of which lies in the web and advances in data innovation can be an enhancement to eye-to-eye techniques for pediatric dental consideration, at last prompting better quiet administration. Pediatric dental specialists can use this innovation for patient/parent training, checking preventive consideration and post treatment follow-up, evaluation of dental turn of events, analysis of dental illnesses, treatment arranging and pre-arrangement conduct direction to diminish nervousness among youngster patients. This mechanical progression in dentistry can make a critical commitment in diminishing the hole between the organic market of pediatric dental experts where oral medical services offices are restricted. The utilization of teledentistry during the pandemic extends the capability of this innovation to lessen the spread of infection. Further examination is expected for protected, compelling and proof-based utilization of teledentistry in the field of pediatric dentistry. Notwithstanding the disadvantages, teledentistry can be a device to give long haul oral medical services to the pediatric populace, defeating the imbalances in admittance to expert consideration. This requires shared endeavours by the wellbeing specialists and pediatric dental specialists. With every one of the mechanical advancements occurring in the field of teledentistry, experts may ultimately connect up to virtual dental well-being facilities and an altogether new time of dentistry can be made. The future could likewise see far off telemedical control of robotized

instruments in circumstances with long haul inaccessibility of dental consideration, e.g., during space flights, on overseas ships, and in different rustic regions. The outcomes accomplished so far are exceptionally uplifting, setting the street finishes paperwork for future examinations. Notwithstanding, various things must be addressed before teledentistry can ascend to its pinnacle. Further investigations including more prominent number of members will be expected to approve the different parts of teledental applications.

Financial Support and sponsorship

Nil.

Conflicts of interest

There are no conflicts of interest.

REFERENCES:

1. Gallagher JE. Human Resources for Oral Health and Dentistry. International Encyclopaedia of Public Health, 2nd Edn.; 2017.
2. Li Q, Guan X, Wu P, Wang X, Zhou L, Tong Y, et al. Early Transmission Dynamics in Wuhan, China, of Novel Coronavirus-Infected Pneumonia. *N Engl J Med*. 2020 Mar 26;382(13):1199-1207. doi: 10.1056/NEJMoa2001316. Epub 2020 Jan 29. PMID: 31995857; PMCID: PMC7121484.
3. World Health Organization, Naming the corona virus disease (COVID- 19) and the virus that causes it. Dashboard 2020. [https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/naming-the-coronavirus-disease-\(covid-2019\)-and-the-virus-that-causes-it](https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/naming-the-coronavirus-disease-(covid-2019)-and-the-virus-that-causes-it)
4. World Health Organization, WHO Coronavirus Disease (COVID-19) Dashboard 2020. <https://data.who.int/dashboards/covid19/cases>
5. Peng X, Xu X, Li Y, Cheng L, Zhou X, Ren B. Transmission routes of 2019-nCoV and controls in dental practice. *Int J Oral Sci*. 2020 Mar 3;12(1):9. doi: 10.1038/s41368-020-0075-9. PMID: 32127517; PMCID: PMC7054527.
6. World Health Organization. Statement on the second meeting of the International Health Regulations (2005). Emergency Committee regarding the outbreak of novel coronavirus (2019-nCoV). [https:// www.who.int /news/item /30-01-2020-statement-on-the-second-meeting-of-the-international-](https://www.who.int/news/item/30-01-2020-statement-on-the-second-meeting-of-the-international)

- health-regulations-(2005)-emergency-committee-regarding-the-outbreak-of-novel-coronavirus-(2019-ncov)
7. Friction J, Chen H. Using teledentistry to improve access to dental care for the underserved. *Dent Clin North Am.* 2009 Jul;53(3):537-48. doi: 10.1016/j.cden.2009.03.005. PMID: 19482128.
 8. Ghai S. Teledentistry during COVID-19 pandemic. *Diabetes Metab Syndr.* 2020 Sep-Oct;14(5):933-935. doi: 10.1016/j.dsx.2020.06.029. Epub 2020 Jun 16. PMID: 32593116; PMCID: PMC7297180.
 9. Mallineni SK, Innes NP, Raggio DP, Araujo MP, Robertson MD, Jayaraman J. Coronavirus disease (COVID-19): Characteristics in children and considerations for dentists providing their care. *Int J Paediatr Dent.* 2020 May;30(3):245-250. doi: 10.1111/ipd.12653. Epub 2020 Apr 16. PMID: 32250505; PMCID: PMC7228382.
 10. Soler C, Zacari'as A, Lucero A. Molarcropolis: a mobile persuasive game to raise oral health and dental hygiene awareness. In: *Proceedings of the international conference on advances in computer entertainment technology.* New York: The Association for Computing Machinery; 2009. p. 388e91. <http://dx.doi.org/10.1145/1690388.1690468>
 11. Levine J, Wolf RL, Chinn C, Edelstein BL. MySmileBuddy: an iPad-based interactive program to assess dietary risk for early childhood caries. *J Acad Nutr Diet.* 2012 Oct;112(10):1539-42. doi: 10.1016/j.jand.2012.06.010. PMID: 23017564; PMCID: PMC3556790.
 12. Shao K, Huang J, Song H, Li R, Wu J. DAYA: a system for monitoring and enhancing children's oral hygiene. *CHI Extended Abstracts 2014*:251e6. <https://doi.org/10.1145/2559206.2580927>
 13. Underwood B, Birdsall J, Kay E. The use of a mobile app to motivate evidence-based oral hygiene behaviour. *Br Dent J.* 2015 Aug 28;219(4):E2. doi: 10.1038/sj.bdj.2015.660. PMID: 26315196.
 14. Alqarni AA, Alfaifi HM, Aseeri NA, Gadah T, Togoo RA. Efficacy of a Self-Designed Mobile Application to Improve Child Dental Health Knowledge among Parents. *J Int Soc Prev Community Dent.* 2018 Sep-Oct;8(5):424-430. doi: 10.4103/jispcd.JISPCD_195_18. Epub 2018 Oct 8. PMID: 30430070; PMCID: PMC6187876.
 15. Zotti F, Pietrobelli A, Malchiodi L, Nocini PF, Albanese M. Apps for oral hygiene in children 4 to 7 years: Fun and effectiveness. *J Clin Exp Dent.* 2019 Sep 1;11(9):e795-e801. doi: 10.4317/jced.55686. PMID: 31636871; PMCID: PMC6797448.
 16. Alkilzy M, Midani R, Höfer M, Splieth C. Improving Toothbrushing with a Smartphone App: Results of a Randomized Controlled Trial. *Caries Res.* 2019;53(6):628-635. doi: 10.1159/000499868. Epub 2019 May 27. PMID: 31132765.
 17. Zotti F, Dalessandri D, Salgarello S, Piancino M, Bonetti S, Visconti L, Paganelli C. Usefulness of an app in improving oral hygiene compliance in adolescent orthodontic patients. *Angle Orthod.* 2016 Jan;86(1):101-7. doi: 10.2319/010915-19.1. Epub 2015 Mar 23. PMID: 25799001; PMCID: PMC8603968.
 18. Scheerman JFM, Hamilton K, Sharif MO, Lindmark U, Pakpour AH. A theory-based intervention delivered by an online social media platform to promote oral health among Iranian adolescents: a cluster randomized controlled trial. *Psychol Health.* 2020 Apr;35(4):449-466. doi: 10.1080/08870446.2019.1673895. Epub 2019 Oct 17. PMID: 31621423.
 19. Lotto M, Strieder AP, Ayala Aguirre PE, Oliveira TM, Andrade Moreira Machado MA, Rios D, Cruvinel T. Parental-oriented educational mobile messages to aid in the control of early childhood caries in low socioeconomic children: A randomized controlled trial. *J Dent.* 2020 Oct;101:103456. doi: 10.1016/j.jdent.2020.103456. Epub 2020 Aug 20. PMID: 32827598; PMCID: PMC7438225.
 20. Simsek H, Buyuk SK, Cetinkaya E. YouTube™ as a source of information on oral habits. *J Indian Soc Pedod Prev Dent.* 2020 Apr-Jun;38(2):115-118. doi: 10.4103/JISPPD.JISPPD_357_19. PMID: 32611855.
 21. Amável R, Cruz-Correia R, Frias-Bulhosa J. Remote diagnosis of children dental problems based on non-invasive photographs - a valid proceeding? *Stud Health Technol Inform.* 2009;150:458-62. PMID: 19745354.
 22. Torres-Pereira CC, Morosini Ide A, Possebon RS, Giovanini AF, Bortoluzzi MC, Leão JC, Piazzetta CM. Teledentistry: distant diagnosis of oral disease using e-mails. *Telemed J E Health.* 2013 Feb;19(2):117-21. doi: 10.1089/tmj.2012.0087. Epub 2013 Jan 28. PMID: 23356381; PMCID: PMC3576903.
 23. Kopycka-Kedzierawski DT, Billings RJ. Comparative effectiveness study to assess two examination modalities used to detect dental caries in preschool

- urban children. *Telemed J E Health*. 2013 Nov;19(11):834-40. doi: 10.1089/tmj.2013.0012. Epub 2013 Sep 21. PMID: 24053114; PMCID: PMC3810618.
24. Purohit BM, Singh A, Dwivedi A. Utilization of teledentistry as a tool to screen for dental caries among 12-year-old school children in a rural region of India. *J Public Health Dent*. 2017 Mar;77(2):174-180. doi: 10.1111/jphd.12195. Epub 2016 Dec 30. PMID: 28035658.
25. Estai M, Kanagasingam Y, Huang B, Shiikha J, Kruger E, Bunt S, Tennant M. Comparison of a Smartphone-Based Photographic Method with Face-to-Face Caries Assessment: A Mobile Teledentistry Model. *Telemed J E Health*. 2017 May;23(5):435-440. doi: 10.1089/tmj.2016.0122. Epub 2016 Nov 17. PMID: 27854186.
26. de Almeida Geraldino R, Rezende LVML, da-Silva CQ, Almeida JCF. Remote diagnosis of traumatic dental injuries using digital photographs captured via a mobile phone. *Dent Traumatol*. 2017 Oct;33(5):350-357. doi: 10.1111/edt.12347. Epub 2017 Jul 7. PMID: 28453886.
27. Kale S, Kakodkar P, Shetiya SH. Assessment of mother's ability in caries diagnosis, utilizing the smartphone photographic method. *J Indian Soc Pedod Prev Dent*. 2019 Oct-Dec;37(4):360-364. doi: 10.4103/JISPPD.JISPPD_349_18. PMID: 31710010.